



## Specifications

	DX 3.0 litre intercooled turbo diesel	ST 3.0 litre intercooled turbo diesel	Ti 3.0 litre intercooled turbo diesel	ST 4.8 litre petrol	Ti 4.8 litre petrol
<b>Engine</b>					
4.8 litre petrol DOHC in-line 6 cylinder				●	●
3.0 litre common-rail intercooled turbo diesel DOHC	●	●	●		
Displacement (cc)	2953	2953	2953	4759	4759
Bore x stroke (mm)	96 x 102	96 x 102	96 x 102	99.5 x 102	99.5 x 102
Compression ratio	17.9:1	17.9:1	17.9:1	9:1	9:1
Max power (kW@rpm) (manual)	118@3200 - 3400	118@3200 - 3400	118@3200 - 3400		
Max power (kW@rpm) (automatic)	118@3600	118@3600	118@3600	180@4800	180@4800
Max torque (Nm@rpm) (manual)	380@2000 - 2400	380@2000 - 2400	380@2000 - 2400		
Max torque (Nm@rpm) (automatic)	354@2000	354@2000	354@2000	400@3600	400@3600

	DX 3.0 litre intercooled turbo diesel	ST 3.0 litre intercooled turbo diesel	Ti 3.0 litre intercooled turbo diesel	ST 4.8 litre petrol	Ti 4.8 litre petrol
<b>Transmission</b>					
Type	manual/automatic	manual/automatic	manual/automatic	automatic	automatic
Ratio 1st manual	4.556	4.556	4.556		
Ratio 2nd manual	2.625	2.625	2.625		
Ratio 3rd manual	1.591	1.591	1.591		
Ratio 4th manual	1.000	1.000	1.000		
Ratio 5th manual	0.836	0.836	0.836		
Ratio reverse manual	4.425	4.425	4.425		
Final drive manual	4.111	4.111	4.111		
Ratio 1st automatic	2.784	2.784	2.784	3.540	3.540
Ratio 2nd automatic	1.544	1.544	1.544	2.264	2.264
Ratio 3rd automatic	1.000	1.000	1.000	1.471	1.471
Ratio 4th automatic	0.694	0.694	0.694	1.000	1.000
Ratio 5th automatic				0.834	0.834
Ratio reverse automatic	2.275	2.275	2.275	2.370	2.370
Final drive automatic	4.375	4.375	4.375	3.545	3.545
Transfer ratio - low	2.02:1	2.02:1	2.02:1	2.02:1	2.02:1
Transfer ratio - high	1:1	1:1	1:1	1:1	1:1

	DX 3.0 litre intercooled turbo diesel	ST 3.0 litre intercooled turbo diesel	Ti 3.0 litre intercooled turbo diesel	ST 4.8 litre petrol	Ti 4.8 litre petrol
<b>Dimensions</b>					
Overall length (mm) (bumper to bumper)	4950	5050	5050	5050	5050
Overall width (mm)	1840/1940~	1940	1940	1940	1940
Overall height (mm)	1875/1855~	1855	1855	1855	1855
Wheelbase (mm)	2970	2970	2970	2970	2970
Front track (mm)	1595/1555~	1605	1605	1605	1605
Rear track (mm)	1615/1575~	1625	1625	1625	1625
Turning circle (m)	12.5	12.5	12.5	12.5	12.5
Ground clearance (mm)	230/210~	210	210	210	210
Tare weight (kg) manual/automatic	2366/2355	2455/2420	2512/2477	2375	2414
GVM** (kg) manual/automatic	3060/3020	3060/3020	3060/3020	3000	3000
Carrying capacity (kg) manual/automatic	694/665	605/600	548/543	625	586

	DX 3.0 litre intercooled turbo diesel	ST 3.0 litre intercooled turbo diesel	Ti 3.0 litre intercooled turbo diesel	ST 4.8 litre petrol	Ti 4.8 litre petrol
<b>Rated Towing Capacity<sup>1</sup></b>					
Trailer with brakes (kg) manual/automatic	3200/2500	3200/2500	3200/2500	3500	3500
Trailer without brakes (kg)	750	750	750	750	750
Towball download (kg)	See table	See table	See table	See table	See table
Gross front axle (kg)	1500	1500	1500	1500	1500
Gross rear axle (kg)	1800	1800	1800	1800	1800

	DX 3.0 litre intercooled turbo diesel	ST 3.0 litre intercooled turbo diesel	Ti 3.0 litre intercooled turbo diesel	ST 4.8 litre petrol	Ti 4.8 litre petrol
<b>Fuel</b>					
Fuel type - ULP				●	●
Fuel type - diesel	●	●	●		
Main fuel tank capacity (litres)	95	95	95	95	95
Sub fuel tank capacity (litres)	30	30	30		

	DX 3.0 litre intercooled turbo diesel	ST 3.0 litre intercooled turbo diesel	Ti 3.0 litre intercooled turbo diesel	ST 4.8 litre petrol	Ti 4.8 litre petrol
<b>Mechanical</b>					
Limited Slip Differential	●	●	●	●	●
4 wheel ventilated disc brakes	●	●	●	●	●
Automatic locking free wheeling hubs		●	●	●	●
Manual free wheeling hubs	●				
Front - 3 link coil spring with stabiliser	●	●	●	●	●
Rear - 5 link coil spring with stabiliser	●	●	●	●	●

	DX 3.0 litre intercooled turbo diesel	ST 3.0 litre intercooled turbo diesel	Ti 3.0 litre intercooled turbo diesel	ST 4.8 litre petrol	Ti 4.8 litre petrol
<b>Wheels/Tyres</b>					
5.50F 16 split rims with 7.50R16 8PR tyres	Manual				
6JJ16 spoked steel wheels with 235/80R16 tyres	Automatic				
8JJ16 spoked steel wheels with 265/70R16 tyres	Opt <sup>~</sup>				
8JJ17 alloy wheels with 275/65R17 tyres		●	●	●	●



## Specifications (cont)

	DX 3.0 litre intercooled turbo diesel	ST 3.0 litre intercooled turbo diesel	Ti 3.0 litre intercooled turbo diesel	ST 4.8 litre petrol	Ti 4.8 litre petrol
<b>Interior</b>					
Seating capacity	5	7	7	7	7
Electric front seats			•		•
Front bucket seats with recline	•	•	•	•	•
Driver's seat height adjust		•	•	•	•
Driver's seat lumbar adjust		•	•	•	•
Seat trim	Cloth	Moquette	Leather	Moquette	Leather
Split-folding middle row bench seat	•	•	•	•	•
Side-folding third row bench seat		•	•	•	•
Front air-conditioning	•	•	Automatic	•	Automatic
Automatic climate control			•		•
Rear air-conditioning (cooling only)		•	•	•	•
Power windows with driver automatic up/down		•	•	•	•
Power door mirrors		•	•	•	•
Tilt adjustable steering	•	•	•	•	•
Satellite Navigation with 3D mapping and 7" integrated colour display with touch screen and SUNA GPS Traffic Updates™			•		•
Bluetooth® handsfree phone system	•	•	•	•	•
Bluetooth® audio connectivity			•		•
Single CD player with AM/FM radio	•				
6 stack in-dash CD player with AM/FM radio		•		•	
Single CD player integrated within colour display with MP3 compatibility and AM/FM radio			•		•
Antenna	•	Power	Power	Power	Power
Speakers	2	4	6	4	6
DVD player from front colour display			•		•
Auxiliary MP3 player input jack	•	•		•	
iPod connectivity (or USB storage device) via USB connection	•	•	•	•	•
Reversing camera			•		•
Leather shift lever		•	•	•	•
Leather 4 spoke steering wheel	•	•	•	•	•
Cruise control	•	•	•	•	•
Door pockets	•	•	•	•	•
Door armrests	Small	Large	Large	Large	Large
Centre console with lid	•	•	•	•	•
Cup holders	2	4	4	4	4
Woodgrain finish			•		•
Child restraint anchorage points	2	3	3	3	3
Child proof door locks	•	•	•	•	•
Passenger assist grips	6	9	9	9	9
Door operated courtesy lights and rear luggage light	•	•	•	•	•
Map lights		•	•	•	•
Tinted glass (green)	•	•	•	•	•
Sunvisor vanity mirror - passenger		•	•	•	•
Passenger and luggage floor coverings	Vinyl	Carpet	Carpet	Carpet	Carpet
Driver's footrest	•	•	•	•	•
Rear heating ducts		•	•	•	•
Seat back trays with additional cup holders		•	•	•	•
Sunglasses holder		•	•	•	•
<b>Instrumentation</b>					
Speedo, tacho, tripmeter x 2	•	•	•	•	•
Fuel tank and water temperature gauge	•	•	•	•	•
Oil pressure and voltage warning light	•	•	•	•	•
Automatic transmission oil temp warning light	•	•	•	•	•
Digital clock	•	•	•	•	•
Outside temperature/compass					•
Dash illumination control		•	•	•	•
4WD indicator light	•	•	•	•	•
Low fuel warning light	•	•	•	•	•
Water in fuel warning light	•	•	•	•	•
<b>Safety</b>					
Engine immobiliser	•	•	•	•	•
Remote central locking		•	•	•	•
Driver and front passenger front impact SRS airbags	•	•	•	•	•
Driver and front passenger side impact SRS airbags			•		•
Anti-lock Braking System (ABS) with gravel sensor		•	•	•	•
Reversing camera			•		•
Automatic transmission shift lock	•	•	•	•	•
Turn-back safety power window (driver)		•	•	•	•
Collapsible steering column	•	•	•	•	•



## Specifications (cont)

	DX 3.0 litre intercooled turbo diesel	ST 3.0 litre intercooled turbo diesel	Ti 3.0 litre intercooled turbo diesel	ST 4.8 litre petrol	Ti 4.8 litre petrol
Door side intrusion bars	•	•	•	•	•
High mount rear stop light	•	•	•	•	•
Halogen headlamps	•	•	•	•	•
Laminated windscreen	•	•	•	•	•
Day/night rear view mirror	•	•	•	•	•
Rear demister and wiper	•	•	•	•	•
Variable intermittent front wipers	•	•	•	•	•
Adjustable headrests	•	•	•	•	•

### Exterior

Electric glass tilt and slide sunroof			•		•
Keyless entry		•	•	•	•
Bonnet scoop	•	•	•		
Body coloured bumpers and overfender flares		•	•	•	•
Side steps		•	•	•	•
Remote fuel lid	•	•	•	•	•
Front and rear mudflaps	•	•	•	•	•
Front and rear towing hooks	•	•	•	•	•
Front grille chrome surround	•	•	•	•	•
Front fog lights		•	•	•	•
Steel bullbar (airbag compatible)	Opt	Opt	Opt	Opt	Opt
Alloy bullbar (airbag compatible)	Opt	Opt	Opt	Opt	Opt
Vertical split rear door 60/40	•	•	•	•	•
Door handles	Black	Chrome	Chrome	Chrome	Chrome

### Colours

Platinum <sup>^</sup>	•	•	•	•	•
Polar White	•	•	•	•	•
White Diamond		•	•	•	•
Desert Gold <sup>^</sup>	•	•	•	•	•
Black Obsidian		•	•	•	•

### Warranty

3 year / 100,000kms	•	•	•	•	•
3 year 24-Hour Roadside Assistance Program	•	•	•	•	•
Genuine Nissan Extended Warranty	Opt	Opt	Opt	Opt	Opt

Opt Optional    Not available    • Standard

<sup>^</sup>Indicates a metallic paint which is available at extra cost.



### Genuine Nissan Extended Warranty

To find how easily you can extend your new vehicle warranty, ask your Nissan Dealer or phone 1800 035 035 during normal business hours. Good for you, great for your Nissan.

### To finance your new Nissan



FINANCIAL SERVICES

1800 035 035  
www.nissanfs.com.au

### Finance and Insurance solutions designed for your Nissan. Designed for you.

All illustrations, information and specifications presented and referred to in this brochure were correct at the time when this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at any time and without prior notice, to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated February 2010. 2010MY. PAT0428.



Jet Black leather Ti



Grey moquette ST



Grey cloth DX

Minor trim variations may occur from time to time.

<sup>~</sup>Wide wheel pack only. (See your Nissan Dealer for further details.)

<sup>†</sup>Towing capacity is subject to towbar/towball capacity. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle. At the maximum laden mass of the vehicle (Gross Vehicle Mass - GVM\*\*) the maximum towball download is 200kgs.

Towball download	Vehicle Mass
200kgs	GVM (all models)
250kgs	Reduce loaded vehicle mass below GVM** by 150kgs
300kgs	Reduce loaded vehicle mass below GVM** by 220kgs
350kgs	Reduce loaded vehicle mass below GVM** by 290kgs

\*\*GVM = Gross Vehicle Mass

If the loaded vehicle mass is reduced as shown in the table, the towball download can be increased correspondingly. Accordingly, if the laden mass is 290kgs less than the GVM, a towball download of 350kgs is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.

\*\*GVM includes the driver, 6 passengers ST and Ti models, 4 passengers DX model, full fuel tanks and luggage.