

Specifications

| | ST 2.5 litre Petrol | ST-L 2.5 litre Petrol | Ti 2.5 litre Petrol | TS 2.0 litre Turbo Diesel | TL 2.0 litre Turbo Diesel |
|--|---------------------|-----------------------|---------------------|---------------------------|---------------------------|
| Engine | | | | | |
| 2.5 litre, DOHC, 16 valve, 4 cylinder | ● | ● | ● | | |
| 2.0 litre, Turbo Diesel | | | | ● | ● |
| Displacement (cc) | 2488 | 2488 | 2488 | 1995 | 1995 |
| Bore x stroke (mm) | 89 x 100 | 89 x 100 | 89 x 100 | 84 x 90 | 84 x 90 |
| Compression ratio | 9.6:1 | 9.6:1 | 9.6:1 | 15.6:1 | 15.6:1 |
| Max power (kW@rpm) manual/auto | 125@6000 | 125@6000 | 125@6000 | 127@3750/110@4000 | 127@3750/110@4000 |
| Max torque (Nm@rpm) manual/auto | 226@4400 | 226@4400 | 226@4400 | 360@2000/320@2000 | 360@2000/320@2000 |
| Induction - sequential multi-point fuel injection with detonation sensor | ● | ● | ● | | |
| Common-rail - direct injection | | | | ● | ● |
| Emission control - 3-way catalytic converter | ● | ● | ● | ● | ● |
| Alternator - 12 volt | ● | ● | ● | ● | ● |

Transmission

| | | | | | |
|--|---------------|---------------|---------------|-------|-------|
| 6-speed manual | ● | ● | ● | ● | ● |
| 6-speed automatic with Manual Mode (M-Mode) | | | | Opt | Opt |
| Continuously Variable Transmission (CVT) with 6-speed Manual Mode (M-Mode) | Opt | Opt | Opt | | |
| Ratio 1st manual | 3.727 | 3.727 | 3.727 | 3.727 | 3.727 |
| Ratio 2nd manual | 2.043 | 2.043 | 2.043 | 2.043 | 2.043 |
| Ratio 3rd manual | 1.392 | 1.392 | 1.392 | 1.322 | 1.322 |
| Ratio 4th manual | 1.055 | 1.055 | 1.055 | 0.947 | 0.947 |
| Ratio 5th manual | 0.865 | 0.865 | 0.865 | 0.723 | 0.723 |
| Ratio 6th manual | 0.732 | 0.732 | 0.732 | 0.596 | 0.596 |
| Ratio reverse manual | 3.641 | 3.641 | 3.641 | 3.641 | 3.641 |
| CVT range | 2.349 - 0.394 | 2.349 - 0.394 | 2.349 - 0.394 | | |
| CVT reverse | 1.750 | 1.750 | 1.750 | | |
| CVT final drive | 5.798 | 5.798 | 5.798 | | |
| Ratio 1st automatic | | | | 4.199 | 4.199 |
| Ratio 2nd automatic | | | | 2.405 | 2.405 |
| Ratio 3rd automatic | | | | 1.583 | 1.583 |
| Ratio 4th automatic | | | | 1.161 | 1.161 |
| Ratio 5th automatic | | | | 0.855 | 0.855 |
| Ratio 6th automatic | | | | 0.685 | 0.685 |
| Ratio reverse automatic | | | | 3.457 | 3.457 |

Dimensions

| | | | | | |
|--|-----------|-----------|-----------|-----------|-----------|
| Overall length (mm) | 4630 | 4630 | 4630 | 4630 | 4630 |
| Overall width (mm) | 1785 | 1785 | 1785 | 1785 | 1785 |
| Overall height (mm) | 1685 | 1685 | 1685 | 1685 | 1685 |
| Wheelbase (mm) | 2630 | 2630 | 2630 | 2630 | 2630 |
| Track front/rear (mm) | 1530/1535 | 1530/1535 | 1530/1535 | 1530/1535 | 1530/1535 |
| Min. turning circle kerb to kerb (m) | 10.6 | 10.6 | 10.6 | 10.8 | 10.8 |
| Ground clearance (mm) | 200 | 200 | 200 | 200 | 200 |
| Tare mass (kg) (manual/auto) | 1492/1522 | 1518/1543 | 1545/1570 | 1610/1645 | 1648/1678 |
| Gross Vehicle Mass (GVM) (kg) (manual/auto) [∞] | 2070/2100 | 2070/2100 | 2070/2100 | 2150/2170 | 2150/2170 |
| Approach angle (degrees) | 25 | 25 | 25 | 25 | 25 |
| Departure angle (degrees) | 22 | 22 | 22 | 22 | 22 |

Rated Towing Capacity¹

| | | | | | |
|--|------|------|------|-----------|-----------|
| Trailer with brakes (kg) (manual/auto) | 2000 | 2000 | 2000 | 2000/1350 | 2000/1350 |
| Trailer without brakes (kg) | 750 | 750 | 750 | 750 | 750 |

Fuel

| | | | | | |
|---|-----|-----|-----|-----|-----|
| Recommended fuel type - Unleaded (ULP) | ● | ● | ● | | |
| Recommended fuel type - Diesel | | | | ● | ● |
| Fuel tank capacity (litres) | 65 | 65 | 65 | 65 | 65 |
| Fuel consumption - l/100km (combined ADR 81/02) ² (manual) | 9.5 | 9.5 | 9.5 | 7.5 | 7.5 |
| Fuel consumption - l/100km (combined ADR 81/02) ² (CVT auto) | 9.3 | 9.3 | 9.3 | | |
| Fuel consumption - l/100km (combined ADR 81/02) ² (6-speed auto) | | | | 8.1 | 8.1 |

Mechanical

| | ST 2.5 litre Petrol | ST-L 2.5 litre Petrol | Ti 2.5 litre Petrol | TS 2.0 litre Turbo Diesel | TL 2.0 litre Turbo Diesel |
|---|---------------------|-----------------------|---------------------|---------------------------|---------------------------|
| Intelligent ALL MODE 4x4-i with electronic 4WD selection including Active Brake Limited Slip (ABLS) | ● | ● | ● | ● | ● |
| Hill descent control | ● | ● | ● | ● | ● |
| Hill start assist | ● | ● | ● | ● | ● |
| Ventilated front and rear disc brakes | ● | ● | ● | ● | ● |
| Front suspension - MacPherson struts with coil springs and stabiliser bar | ● | ● | ● | ● | ● |
| Rear suspension - parallel multi-link strut | ● | ● | ● | ● | ● |
| Rack and pinion power assisted steering | ● | ● | ● | ● | ● |

Wheels/Tyres

| | | | | | |
|---------------------------------------|---|---|---|---|---|
| 6.5Jx16 steel wheels with covers | ● | | | | |
| 6.5Jx17 alloy wheels | | ● | | ● | |
| 7Jx18 alloy wheels | | | ● | | ● |
| 215/65R16 98H tyres | ● | | | | |
| 215/60R17 96H tyres | | ● | | ● | |
| 215/55R18 95H tyres | | | ● | | ● |
| Spare - 6.5Jx16 temporary steel wheel | ● | ● | ● | ● | ● |
| Spare - 215/65R16 98H temporary tyre | ● | ● | ● | ● | ● |

Interior

| | | | | | |
|--|---|---|---|---|---|
| Seating capacity | 5 | 5 | 5 | 5 | 5 |
| Cloth seat trim | ● | | | ● | |
| Leather seat trim | | ● | ● | | ● |
| 6-way power adjustable driver's seat | | ● | ● | | ● |
| 4-way power adjustable front passenger's seat | | ● | ● | | ● |
| Manual seat adjustment, with height adjust | ● | | | ● | |
| Manual driver lumbar adjustment | ● | ● | ● | ● | ● |
| Front heated seats | | ● | ● | | ● |
| Satellite Navigation with 3D mapping and 7" integrated colour display with touch screen and SUNA GPS Traffic Updates TM | | | ● | | ● |
| DVD player from front colour display | | | ● | | ● |
| Auxiliary MP3 player input jack | ● | ● | | ● | |
| Full iPod connectivity (or USB storage device) via USB connection and touch screen display | | | ● | | ● |
| Bluetooth [®] handsfree phone system via colour display | | | ● | | ● |
| Bluetooth [®] handsfree phone system via steering wheel controls | | ● | | ● | |
| Bluetooth [®] audio connectivity | | | ● | | ● |
| Reversing camera | | | ● | | ● |
| Electric tilt slide double sunroof | | | ● | | ● |
| Tilt adjustable steering column | ● | ● | ● | ● | ● |
| Manual air-conditioning with rear centre console outlets | ● | | | ● | |
| Automatic climate control air-conditioning with rear centre console outlets | | ● | ● | | ● |
| Single CD player with MP3 compatibility and AM/FM radio | ● | | | | |
| 6 CD in-dash auto-changer with MP3 compatibility and AM/FM radio | | ● | | ● | |
| Single CD player integrated within colour display with MP3 compatibility and AM/FM radio | | | ● | | ● |
| Number of speakers | 4 | 6 | 6 | 6 | 6 |
| Steering wheel mounted audio controls | | ● | ● | ● | ● |
| Cruise control with steering wheel controls | ● | ● | ● | ● | ● |
| Drive computer steering wheel controls | | ● | ● | ● | ● |
| Leather steering wheel | | ● | ● | | ● |
| Leather shift/park brake lever | | ● | ● | | ● |
| 40/20/40 split folding rear seat including armrest and ski port | ● | ● | ● | ● | ● |
| Rear seat recline to 5 positions | ● | ● | ● | ● | ● |
| Double luggage floor in boot including drawer system | ● | ● | ● | ● | ● |
| Washable luggage boards in boot | ● | ● | ● | ● | ● |
| Rear cargo area tie down hooks | 4 | 4 | 4 | 4 | 4 |
| Rear cargo hooks | 2 | 2 | 2 | 2 | 2 |

Specifications (Cont)

| | ST 2.5 litre Petrol | ST-L 2.5 litre Petrol | Ti 2.5 litre Petrol | TS 2.0 litre Turbo Diesel | TL 2.0 litre Turbo Diesel |
|---|---------------------|-----------------------|---------------------|---------------------------|---------------------------|
| Passenger assist grips (excl. driver) | ● | ● | ● | ● | ● |
| Large lockable glove box | ● | ● | ● | ● | ● |
| Door map pockets with front bottle holders | ● | ● | ● | ● | ● |
| Front centre console with storage | ● | ● | ● | ● | ● |
| Dashboard storage box | ● | ● | ● | ● | ● |
| Central locking with remote keyless entry and panic alarm | ● | ● | ● | ● | ● |
| Keyless entry controlled fuel filler release | ● | ● | ● | ● | ● |
| Cup holders front/rear | 4/2 | 4/2 | 4/2 | 4/2 | 4/2 |
| Cooled/heated cup holders front/rear | 2/2 | 2/2 | 2/2 | 2/2 | 2/2 |
| Sunglasses holder | | | ● | | ● |
| Driver seat back pocket | | ● | ● | | ● |
| Front passenger seat back pockets | ● | ● | ● | ● | ● |
| Front map lights | 2 | 2 | 2 | 2 | 2 |
| Rear luggage area lights | 2 | 2 | 2 | 2 | 2 |
| Courtesy lights with interior logic | ● | ● | ● | ● | ● |
| Driver and front passenger sunvisor with mirror | ● | ● | ● | ● | ● |
| Illumination in front passenger sunvisor | | ● | ● | | ● |
| Power windows with driver auto up/down | ● | ● | ● | ● | ● |
| Power door mirrors | ● | ● | ● | ● | ● |
| Carpet - passenger area | ● | ● | ● | ● | ● |
| 12v power outlet (front) | ● | ● | ● | ● | ● |
| Cargo area 12v power outlet | ● | ● | ● | ● | ● |

Instrumentation

| | Displaying average speed, average fuel consumption, distance to empty and trip time | | | | |
|---|---|---|---|---|---|
| Drive computer | | | | | |
| Exterior temperature gauge | ● | ● | ● | ● | ● |
| Speedo with dual trip meter | ● | ● | ● | ● | ● |
| Tachometer | ● | ● | ● | ● | ● |
| Voltmeter, brake, fuel and oil pressure warning light | ● | ● | ● | ● | ● |
| Digital clock | ● | ● | ● | ● | ● |
| Headlight warning chime | ● | ● | ● | ● | ● |
| Key-in warning chime | ● | ● | ● | ● | ● |
| Dash illumination control | ● | ● | ● | ● | ● |
| Door ajar warning light | ● | ● | ● | ● | ● |
| ALL MODE 4x4-i indicator light | ● | ● | ● | ● | ● |
| Airbag warning light | ● | ● | ● | ● | ● |

Safety

| | | | | | |
|--|---|---|---|---|---|
| Electronic Stability Program (ESP) | ● | ● | ● | ● | ● |
| Anti-lock Braking System (ABS) | ● | ● | ● | ● | ● |
| Brake Assist (BA) | ● | ● | ● | ● | ● |
| Electronic Brakeforce Distribution (EBD) | ● | ● | ● | ● | ● |
| Active Brake Limited Slip Differential (ABLS) | ● | ● | ● | ● | ● |
| Driver and front passenger front-impact SRS airbags | ● | ● | ● | ● | ● |
| Driver and front passenger side-impact SRS airbags | ● | ● | ● | ● | ● |
| Front to rear SRS curtain airbags | ● | ● | ● | ● | ● |
| Front seatbelt pretensioners with load limiters | ● | ● | ● | ● | ● |
| Front active headrests | ● | ● | ● | ● | ● |
| Adjustable front headrests (2) with 2-way adjustment | ● | ● | ● | ● | ● |
| Adjustable rear headrests (3) with 2-way adjustment | ● | ● | ● | ● | ● |
| Front seatbelt height adjustment | ● | ● | ● | ● | ● |
| Privacy glass | | ● | ● | ● | ● |
| Security alarm | | | | ● | ● |
| 3 point ELR front and rear seatbelts (all) | ● | ● | ● | ● | ● |
| Collapsible steering column | ● | ● | ● | ● | ● |
| Hazard warning lights | ● | ● | ● | ● | ● |
| Halogen headlights | ● | ● | ● | ● | ● |
| High mounted rear stop light | ● | ● | ● | ● | ● |
| Rear intermittent wiper | ● | ● | ● | ● | ● |
| Rear windscreen demister | ● | ● | ● | ● | ● |

| | ST 2.5 litre Petrol | ST-L 2.5 litre Petrol | Ti 2.5 litre Petrol | TS 2.0 litre Turbo Diesel | TL 2.0 litre Turbo Diesel |
|---|---------------------|-----------------------|---------------------|---------------------------|---------------------------|
| Driver seatbelt warning light | ● | ● | ● | ● | ● |
| Child restraint anchorage points (behind rear seat) | 3 | 3 | 3 | 3 | 3 |
| Rear door child locks | ● | ● | ● | ● | ● |
| Highly rigid monocoque body | ● | ● | ● | ● | ● |
| Side intrusion bars | ● | ● | ● | ● | ● |
| Front and rear crumple zones | ● | ● | ● | ● | ● |
| Nissan Anti Theft System (NATS) | ● | ● | ● | ● | ● |

Exterior

| | | | | | |
|-----------------------------|-------------|--------|--------|-------------|--------|
| Front fog lights | | ● | ● | ● | ● |
| Roof side rails | ● | ● | ● | ● | ● |
| Front and rear mudflaps | ● | ● | ● | ● | ● |
| Front grille frame colour | Body colour | Chrome | Chrome | Body colour | Chrome |
| Door handles | Black | Chrome | Chrome | Chrome | Chrome |
| Body coloured power mirrors | ● | ● | ● | ● | ● |
| Chrome rear door finisher | ● | ● | ● | ● | ● |
| Dual horn | ● | ● | ● | ● | ● |

Colours

| | | | | | |
|-----------------|---|---|---|---|---|
| Diamond Black | ● | ● | ● | ● | ● |
| Electric Blue* | ● | ● | ● | ● | ● |
| Flint* | ● | ● | ● | ● | ● |
| White Diamond | ● | ● | ● | ● | ● |
| Precision Grey* | ● | ● | ● | ● | ● |
| Platinum* | ● | ● | ● | ● | ● |
| Twilight* | ● | ● | ● | ● | ● |

Warranty

| | | | | | |
|------------------------------------|-----|-----|-----|-----|-----|
| 3 year/100,000 kms | ● | ● | ● | ● | ● |
| 3 year 24 hour roadside assistance | ● | ● | ● | ● | ● |
| Genuine Nissan Extended Warranty | Opt | Opt | Opt | Opt | Opt |

* Indicates a metallic colour, which is available at extra cost.

† Vehicle towing capacity is subject to towbar/towball capacity and design. Towing capacity may be reduced if a non genuine Nissan towbar is fitted. Please refer to the Genuine accessory brochure for towbar capacity information.

∞ GVM = Gross Vehicle Mass. GVM includes the driver, 4 passengers, full fuel tank and luggage.

^A Figures have been calculated in accordance with ADR81/02. Actual fuel consumption will vary depending on driving conditions, driver behaviour, the condition of your vehicle and the accessories fitted.

Opt Optional Not available ● Standard

| Towball Download | Reduced Vehicle Mass |
|------------------|---|
| 50kg | Nil |
| 100kg | Reduced loaded vehicle mass below GVM [∞] by 60kg |
| 150kg | Reduced loaded vehicle mass below GVM [∞] by 150kg |
| 200kg | Reduced loaded vehicle mass below GVM [∞] by 250kg |

If the loaded vehicle mass is reduced as shown in the table, the towball download can be increased correspondingly. Accordingly, if the laden mass is 250kg less than the GVM[∞] a towball download of 200kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan does not recommend the fitting of load levelling or weight distribution devices when used with a Nissan Genuine towbar. When fitted and used correctly, the Nissan Genuine towbar is capable of meeting the towbar/towball capacity stated in the above table.



| | | |
|-------------------------------|-------------------------------------|---------------------------------------|
| 3 ^{YR} | 3 ^{YR} | MORE INFO |
| 100,000KM WARRANTY | 24HR ROADSIDE ASSISTANCE | 1800 035 035 nissan.com.au |

Genuine Nissan Extended Warranty

To find how easily you can extend your new vehicle warranty, ask your Nissan Dealer or phone 1800 035 035 during normal business hours. Good for you, great for your Nissan.

To finance your new Nissan



**FINANCIAL
SERVICES**

1800 035 035
www.nissanfs.com.au

Finance and Insurance solutions designed for your Nissan. Designed for you.



ST-L/Ti/TL leather seat trim



ST/TS cloth seat trim

All illustrations, information and specifications presented and referred to in this brochure were correct at the time when this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Printed November 2009. 2010MY. NXT0254